

EVO *Corse*

Catalogue













INTRODUCTION

Our story begins in 2002, when Luca Meneghetti and Fabrizio Facini, two engineers with a strong passion for racing cars, founded Seido Design Engineering. After two years of activity dedicated to design wheels for the most important manufacturers, the Company creates its own brand of alloy wheels.

EVO Corse debuts with the SanremoCorse 15" model in the rally championship in South Africa; and, from then on, it sees itself as protagonist of increasingly prestigious competitions, until it becomes the major supplier of the Dakar Rally for several consecutive years.

The know-how, gained in over 20 years of experience in motorsport and through the collaboration with the greatest manufacturers, has allowed the constant development of new products: from the expansion of the range of alloy wheels to the production of ultra-fast hydraulic jacks and insulating plates for brakes.

LEGEND

-  Tarmac Rally
-  Gravel Rally
-  Offroad
-  Circuit
-  Vintage
-  Road

SANREMOCORSE 16"-17"-18"

The wheel designed for **tarmac rally** that had a great success on racing fields and **road cars** all over the world, thanks to its optimized structure.



A reliable, light and resistant wheel with a spoke profile designed to mount **the most bulky brake calipers**.

17" SANREMOCORSE GROUP A

AVAILABLE COLORS

-  White
-  Silver
-  Anthracite
-  Gold
-  Black
-  Bronze

STANDARD COLOR

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
SANREMOCORSE					
6,5 x 16"	10	55	98 x 4	114.3 x 5	From 7.3 to 7.9
7 x 16"	17	61	98 x 4	114.3 x 5	From 7.6 to 8.0
7 x 17"	15	52	98 x 4	130 x 5	From 7.9 to 8.9
7,5 x 17"	22	58	98 x 4	130 x 5	From 8.2 to 9.9
8 x 17"	28	65	98 x 4	130 x 5	From 8.4 to 10.2
8 x 18"	8	66	98 x 4	130 x 5	From 9.1 to 11.0
9 x 18"	20	52	98 x 4	130 x 5	From 9.5 to 11.5
SANREMOCORSE GROUP A					
7 x 17"	27	58	98 x 4	130 x 5	From 8.2 to 8.8

The super light alloy wheel with an extraordinary resistance.







X3MA ensures greater driveability, acceleration and cooling when braking as well as being **2 kg lighter** than the best alternatives on the market.



15" X3MA

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
6,5 x 15"	9	40	98 x 4	114.3 x 5	From 6.3 to 7.5
7 x 15"	16	47	98 x 4	114.3 x 5	From 6.5 to 7.7

AVAILABLE COLORS

- White 
- Silver 
- Anthracite 
- Gold 
- Black 
- Bronze 

STANDARD COLOR

SPORT 14"



Perfect for small cars, Sport 14 stands out in tarmac and light gravel rally.

AVAILABLE COLORS

- White
- Silver
- Anthracite
- Gold
- Black
- Bronze

STANDARD COLOR

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
5,5 x 14"	10	42	98 x 4	114.3 x 5	From 6.3 to 7.7
6 x 14"	16	48	98 x 4	114.3 x 5	From 6.5 to 7.8

SANREMOCORSE 15"

The rim profile, machined out of standard, allows to house **WRC brake calipers**. SanremoCorse 15 is designed for heavy gravel rally, but it is also suitable for tarmac use.



15"-16" OLYMPIACORSE

OlympiaCorse gives its best in **gravel rally**, on cars with low offset, boasting a weight-resistance ratio at the top of the category.

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
SANREMOCORSE 15					
6 x 15"	17	50	98 x 4	130 x 5	From 6.9 to 8.5
6,5 x 15"	23	56	98 x 4	130 x 5	From 7.2 to 8.9
7 x 15"	30	63	98 x 4	130 x 5	From 7.8 to 9.3
OLYMPIACORSE					
6,5 x 15"	0	28	98 x 4	120 x 5	From 7.9 to 8.5
7 x 15"	6	34	98 x 4	120 x 5	From 8.0 to 8.6
6,5 x 16"	11	54	98 x 4	120 x 5	From 8.0 to 8.9

AVAILABLE COLORS

White Silver Anthracite Gold Black Bronze 
STANDARD COLOR

DAKARCORSE 16"

DakarCorse is the most used offroad and rally-raid rim in all types of competition and on the most extreme routes. It boasts a load index of **1.500 kg per wheel**.



The low ET version of DakarCorse with concave profile; a resistant rim dedicated to **extreme offroad** with improved hump and internal spoke profile.

15"-16"-17" DAKARZERO

AVAILABLE COLORS

- White
- Silver
- Anthracite
- Gold
- Black
- Bronze

STANDARD COLOR

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
DAKARCORSE					
7 x 16"	25	48	98 x 4	165 x 6	From 11.0 to 13.5
DAKARZERO					
7 x 15"	- 25	15	98 x 4	139.7 x 6	From 8.8 to 9.5
7 x 16"	- 10	26	98 x 4	165 x 6	From 11.0 to 13.5
8 x 16"	- 20	20	98 x 4	165 x 6	From 11.5 to 13.0
8 x 17"	0	45	98 x 4	165 x 6	From 12.5 to 14.5

The version of the DakarZero designed specifically for **SSVs** and tubular frame prototypes that need a small and resistant rim in races on rough terrain.



14" DAKARZERO

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
6,5 x 14"	- 10	30	98 x 4	165 x 4	From 6.2 to 6.8
7 x 14"	- 10	30	98 x 4	165 x 4	From 6.4 to 7.0

AVAILABLE COLORS



STANDARD COLOR



DAKARZERO 18"

The wheel dedicated to extreme offroad with a load capacity of **1.300 kg per wheel** and an extraordinary resistance.

DakarSuperZero is the version of the Dakar line dedicated to heavy offroad vehicles and capable of withstand up to **2.000 kg** of load per wheel.

17" DAKARSUPERZERO

AVAILABLE COLORS

- White
- Silver
- Anthracite
- Gold
- Black
- Bronze

STANDARD COLOR

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
DAKARZERO 18					
8,5 x 18"	0	45	98 x 4	165 x 6	From 13.5 to 14.9
DAKARSUPERZERO 17					
8,5 x 17"	- 15	35	98 x 4	185 x 8	From 14.5 to 15.5
9 x 17"	- 8	42	98 x 4	185 x 8	From 14.7 to 15.7


The rim dedicated to **single-seater cars**, characterized by an incredible lightness and excellent cooling properties under braking. It is also available for Dallara Formula 3 and other customized applications.



13" FORMULACORSE

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
8 x 13"	-19	12	80	100	From 3.9 to 4.3
8,5 x 13"	-19	19	80	100	From 3.9 to 4.3
9 x 13"	-12	19	80	100	From 4.1 to 4.5
10 x 13"	7	38	80	100	From 4.7 to 4.9
10,5 x 13"	7	38	80	100	From 4.7 to 4.9

AVAILABLE COLORS



STANDARD COLOR

SANREMOZERO 17"



The rim designed for **rallycross** and **circuit racing**, equipped with a profile that recedes towards the hub allowing low offsets and protection during "door to door" contacts.

AVAILABLE COLORS

- White
- Silver
- Anthracite
- Gold
- Black
- Bronze

STANDARD COLOR

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
8 x 17"	- 6	33	98 x 4	130 x 5	From 8.6 to 9.2
8,5 x 17"	0	39	98 x 4	130 x 5	From 8.8 to 9.4
9 x 17"	6	45	98 x 4	130 x 5	From 9.0 to 9.6

X3MAZERO 15"

The queen of circuit racing, able to compete with magnesium wheels.

The low weight increases control and acceleration without altering its **stiffness and strength** properties.




13" X3MAZERO

The super-light alloy rim dedicated to tarmac and characterized by the **flexible design of the hub**, with single nut or bolt fixing, which makes it adaptable to many car models.

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
X3MAZERO 15					
8 x 15"	0	40	98 x 4	120 x 5	From 5.8 to 6.5
X3MAZERO 13					
6,5 x 13"	-31	25	98 x 4	108 x 5	From 4.4 to 4.6
7 x 13"	-25	31	98 x 4	108 x 5	From 4.5 to 4.7
7,5 x 13"	-18	38	98 x 4	108 x 5	From 4.6 to 4.8
8 x 13"	-12	44	98 x 4	108 x 5	From 4.7 to 4.9
8,5 x 13"	-29	20	98 x 4	108 x 5	From 4.8 to 5.3
9 x 13"	-29	20	98 x 4	108 x 5	From 4.8 to 5.3
10 x 13"	-10	40	98 x 4	108 x 5	From 5.5 to 5.9
10,5 x 13"	-10	40	98 x 4	108 x 5	From 5.5 to 5.9

AVAILABLE COLORS



STANDARD COLOR

Vintage

SB9RAGNO 17"



The faithful replica of the rim for **Renault Clio Williams**. The legendary "ragno" wheel with an unmistakable design.

AVAILABLE COLORS

- White
- Silver
- Anthracite
- Gold
- Black
- Bronze

STANDARD COLOR

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
7 x 17"	35	50	100 x 4	120 x 5	From 9.5 to 10.5

The wheel designed for the nostalgics of the legendary **Lancia Delta**. A faithful replica of the magnesium original, with 2 kg less than the alternatives on the market.



17" MONTECARLOCORSE

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
7 x 17"	4	45	98 x 4	120 x 5	From 10.4 to 11.5
8 x 17"	17	58	98 x 4	120 x 5	From 11.4 to 11.9

AVAILABLE COLORS

White	
Silver	
Anthracite	
Gold	
Black	
Bronze	

STANDARD COLOR

X3MAFORGED

18"-19"-20"



The wheel forged in aerospace alloy and designed for extreme competitions. The **forging technique** and the CNC machining guarantee exceptional strength and lightness. Measurements and applications on request.

AVAILABLE COLORS

- White
- Silver
- Anthracite
- Gold
- Black
- Bronze

STANDARD COLOR

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
8-13 x 18"	-	-	98 x 4	130 x 5	From 8.0 to 10.0
8,5-11 x 19"	-	-	98 x 4	130 x 5	From 9.0 to 11.0
8,5-11 x 20"	-	-	98 x 4	130 x 5	From 9.5 to 11.5



Arcasting
ARCASTING LINE

BY
EVO *Corse*

EXCALIBUR 17"

The elegant rim dedicated to **tarmac rally** and optimized to accommodate large brake calipers.



Excalibur 18 is the wheel designed for the circuit and characterized by an **elegant 9-spoke design** that offers excellent performance even in tarmac rally.

EXCALIBUR 18"

AVAILABLE COLORS

- White
- Silver
- Anthracite
- Gold
- Black
- Bronze

STANDARD COLOR

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
EXCALIBUR 17					
7 x 17"	16	42	98 x 4	120 x 5	From 8.5 to 10.2
8 x 17"	20	53	98 x 4	120 x 5	From 10.1 to 10.6
EXCALIBUR 18					
8 x 18"	7	54	98 x 4	130 x 5	From 10.1 to 10.6
9 x 18"	20	66	98 x 4	130 x 5	From 10.2 to 11.1
9,5 x 18"	26	72	98 x 4	130 x 5	From 10.7 to 11.4
10 x 18"	32	78	98 x 4	130 x 5	From 10.8 to 11.5

Born for track racing and drifting, it is designed to offer very low offsets, even negative ones, allowing the use of large tires. Ideal as a rear wheel, when combined with the Excalibur 18 as a front wheel.



18"
GTR

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
10,5 x 18"	-6	52	98 x 4	130 x 5	From 11.5 to 11.9
11 x 18"	0	58	98 x 4	130 x 5	From 11.7 to 12.1

AVAILABLE COLORS

- White 
- Silver 
- Anthracite 
- Gold 
- Black 
- Bronze 

STANDARD COLOR

Z.A.R. 15"



Featuring a **low weight** and a **high strength**, Z.A.R. 15 represents a valid and reliable option for facing the most rough terrains.

AVAILABLE COLORS

- White
- Silver
- Anthracite
- Gold
- Black
- Bronze

STANDARD COLOR

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
6,5 x 15"	16	50	98 x 4	135 x 5	From 8.3 to 9.0
7 x 15"	16	56	98 x 4	135 x 5	From 8.5 to 9.3

The resistant and light rim dedicated to tarmac rally and characterized by the **square geometry** of the spokes and by the deep hub.



18"
Z.A.R.

AVAILABLE COLORS

- White
- Silver
- Anthracite
- Gold
- Black
- Bronze

STANDARD COLOR

MEASURE	ET Min	ET Max	PCD Min	PCD Max	Weight (kg)
8 x 18"	6	58	98 x 4	135 x 5	From 9.7 to 10.5




OUR JACKS

EVOJACK

EVOjack is the ultra-fast **professional** jack designed for equipping the best rally cars. Indispensable for emergency situations in races and tire reversal in special stages.

EVOcrk is the **practical** quick action hydraulic jack dedicated to rally cars and also suitable for heavy use.



EVOCRK

TECHNICAL FEATURES

	EVOJACK	EVOCRK
Adjustable foot	Aircraft aluminum machined from solid	Technopolymer with rubber bottom
Weight	3.89 kg	3.50 kg
Lifting speed	8 strokes to maximum extension	9/10 strokes to maximum extension
Lifting weight	600.0 kg	600.0 kg
Minimum height	10.5 cm	9.0 cm
Maximum height	41.0 cm	34.0 cm
Extension	32.0 cm	27.0 cm
Length when closed	61.0 cm	54.0 cm
Pin	<ul style="list-style-type: none"> • Ø 21, 23, 25 or 27 mm • Hexagonal section CH17 	Ø 22 mm

AVAILABLE COLOR

Gold 



OFFCRK

OFFcrk is the **practical and light** hydraulic jack designed for offroad racing vehicles of all categories and also suitable for heavy use. The product is characterized by an aluminum strong foot and a large extension for offroad suspension with extreme elongations.

TECHNICAL FEATURES

Foot	Adjustable foot, aircraft aluminum machined from solid
Weight	5.90 kg
Lifting speed	18 strokes to maximum extension
Lifting weight	1200.0 kg
Minimum height	10.0 cm
Maximum height	48.0 cm
Extension	43.0 cm
Lenght when closed	70.0 cm
Pin	<ul style="list-style-type: none"> • Ø 20 mm • Hexagonal section CH17

AVAILABLE COLOR

■ Black

EVOjack Quadra is the quick **scissor hydraulic jack** intended for the world of competition and aimed at both experienced users and beginners. The universal support bracket makes it suitable for cars that do not have the possibility to insert the lifting pin.



EVOJACK QUADRA

TECHNICAL FEATURES

Foot	Aircraft aluminum machined from solid
Weight	5.10 kg
Lifting speed	24 strokes to maximum extension
Lifting weight	600.0 kg
Minimum height	16.0 cm
Maximum height	39.5 cm
Extension	23.5 cm
Lenght when closed	39.0 cm

AVAILABLE COLOR

Red

P-DEF



Innovative plates in Pyroclast, a material with exceptional insulating properties and resistance to compression.

With their **lightness and extremely reduced thickness**, they solve “vapor lock” problems even for the most powerful braking systems.

Data sheet Pyroclast 600

Properties	Value	UM	Specs
Thermal conductivity	0,21	W/mK	DIN 52612
Heat resistance	620	°C	
Thickness	1 + - 0,15	Mm	
Density	2,12	Cm ³	ISO 1183 method 3
Water absorption	< 0,6	%	ISO 62 method 1
Flammability	94 V-0	According	UL 94
Flexural strenght	150	Mpa	ISO 178



HARDWARE

EVO Corse hardware covers the entire range of aftermarket fixings. From solutions with lightened nut in aerospace alloy and conversion stud for racing use, to nuts and bolts with variation of PCD, passing through studs and bolts with resistance classes up to 10.9 and **precise aluminum centering rings** dedicated to the most varied applications.

SPACERS

Our range of aluminum spacers consists of products made from billet and machined with **CNC machines** to achieve maximum strength and reliability. A wide range that goes from 5 to 50 mm.



Spacers range

Standard spacers without bolts and nuts

Standard spacers with bolts and nuts

Spacers with double bolts

Spacers for offroad vehicles

Spacers for double centering

Lightened spacers



EVO *Corse*
by Seido D.E. s.r.l.

Via Staizza, 56 - 31033 Castelfranco Veneto (TV) - Italy

Telephone: +39 0499365050

E-mail: evo@evocorse.com

Website: www.evocorse.com

